



PRODUCT UPGRADES PORTFOLIO

APEX SERIES



The Peak of Perfection



TABLE OF CONTENTS

Contents	Page
Apex Homes Specifications	3 - 5
Windows	6 - 15
Exterior Doors	16 - 17
Shingles	18
Siding	19 - 21
Interior Doors	22
Interior Door Hardware	23
Lights	24 - 27
Fireplaces	28 - 35
Floor Coverings	36 - 46
Kitchen Faucets	47
Kitchen Sinks	48
Countertops	49 - 56
Accessories	57
Bathroom Fixtures	58 - 59
Vanity Base Countertops	60
Vanity Bases	61
Water Closets	62

APEX HOMES SPECIFICATIONS

National Electrical Code

Built to individual state codes

Continuous On-Line Quality Control Inspection

10 Year RWC Structural Warranty (one year Apex, 9 years RWC)

Floor System

- 24' wide (actual face of stud dimension — 23'8")
 - 2x10 floor joists with ledger — 16" O.C.
 - Double 2x10 perimeter joists, nailed and glued
 - Solid block bridging
- 26' & 28' wide (actual face of stud dimension — 27'6"-28' wide / 26'4"-26' wide)
 - 2x10 floor joists with ledgers — 16" O.C.
 - Double 2x10 perimeter joists, nailed and glued
 - Solid block bridging
- 32' wide (actual face of stud dimension — 31'6" wide)
 - 2x10 floor joists with ledgers — 12" O.C.
 - Double 2x10 perimeter joists, nailed and glued
 - Solid block bridging
- 3/4" tongue and groove O.S.B. STURDI-I-FLOOR, nailed and glued
- Sanded O.S.B. under all vinyl floor areas

Walls

- 2x6, 16" O.C. exterior load bearing wall construction with double top plate
- Double 2x4 center wall, 16" O.C. with double top plate with 7/16" O.S.B. sheathing
- All load bearing walls lagged to exceed typical construction
- 2x4, 24" O.C. interior partition walls
- 7/16" O.S.B. exterior wall sheathing
- 1/2" finished drywall, interior painted, 2 primer coats
- R-21 fiberglass insulation with vapor barrier

Roof and Ceiling

- 7/12 non storage rafter — 16" O.C. (ranch & two-story)
- 12/12 rafter — 16" O.C. (capes)
- 7/16" O.S.B. roof sheathing
- 15# U.L. underlayment under 235# self sealing, Tamko architectural shingles, (30 year)
- 30# felt freeze-back protection at eaves
- 10" eave overhangs with aluminum fascia and vinyl vented soffit
- 10" gable end overhangs
- Shingle over ridge vent
- 8' ceiling height
- 5/8" drywall ceiling with smooth finish, painted, 2 primer coats
- R-30 cellulose insulation
- R-30 fiberglass (capes)

Exterior

- Plastpro Smooth fiberglass front door, painted (1 side) — choice of 5 standard styles
- Plastpro Smooth fiberglass rear door, primed w/ insulated glass or 6' vinyl patio door (floor plan dictates)
- Siding — Certainteed Mainstreet, choice of 4/4 vinyl or 4/4 Dutch lap
- MW Classic by PlyGem vinyl double hung windows
- Richwood raised panel shutters (front only)
- Marriage wall seal
- Air infiltration barrier on all windows and exterior doors

Interior

- Shaw (25 ounce) polypropylene stain and fade-resistant carpet
- 7/16", 5 lb. density rebound foam pad
- Shaw vinyl floor in kitchen, baths and utility rooms
- Vinyl coated, vented closet shelves with clothes bar
- Colonial mouldings stained and polyurethaned, or painted white
- Interior doors, 2-panel, arch top white hollowcore, w/ 3 brushed nickel mortised hinges
- Satin nickel lever locksets throughout
- Privacy locks on baths and master bedroom
- Satin nickel door stops

Plumbing

- Kohler faucets – Chrome
- Anti-scald valves
- Shut-off valves on all fixtures
- Rheem Fury electric water heater, 50 gallon capacity (Quick Recovery)
- PVC drain, waste and vent system
- Pex fresh water lines stubbed through floor
- 2" future vent on all basement models
- Radon mitigation vent on basement models

Electrical

- Brushed nickel deluxe chandelier in dining room
- Brushed nickel deluxe lights — kitchen, hall, formal foyer, utility rooms and walk-in closets
- Fluorescent light above sink
- One exterior light per exterior door
- Broan combination fan/light ventilation unit — 50 C.F.M., vented to exterior
- 200 AMP (40 available breaker spaces) main service panel box
- Front and rear exterior weatherproof receptacles with ground fault interrupter
- One AC/DC smoke detector per floor and all bedrooms
- Silent rocker switches
- Mounting blocks for all exterior wall-mounted fixtures
- Wireless door chimes, front and rear
- Arc fault breakers — bedrooms
- 2 TV and 2 telephone jack

Heating

- Electric baseboard heat with individual wall-mounted 75 degree maximum thermostats in each room, or hot water baseboard heating elements with 1 thermostat pull wire per floor
- Optional charge for hot water baseboard heating elements on two-story models

Kitchen

- Millwood Sanibel Madison oak kitchen cabinets with recessed panels, featuring base cabinets with center roll-out tray, tilt-out soap trays, one drawer base and wall cabinets with arched top
- Colonial cove molding over cabinets
- Formica laminate square edge countertop with 4" backsplash
- Broan baked enamel range hood with light and fan vented to exterior
- 8" deep double bowl stainless steel kitchen sink with single lever chrome faucet and sink spray

Bath

- Clarion 60" one-piece fiberglass RE7903 tub/shower combination
- Choice of Kerrico cultured marble top with oval bowl or Formica laminated countertop with drop-in porcelain-on-steel bowl to match fixture
- Round bowl china water closet (water saver)
- Towel bar and toilet paper holder
- Oak vanities with drawers and matching oak framed 18x24 medicine cabinet and tulip light bar

Note: This portfolio provides examples of some of the upgrades we have available. Since we are a custom modular manufacturer, we work completely with your needs. We are here to make your dream home a reality.

**Please also note that actual colors may vary slightly from those in the computer generated photos.*

ANDERSEN WINDOWS

- 200-400 Series
- Finelight (Grilles between glass)
- Wood Interior Colors: White, Pine

Exterior Finishes

White	Canvas 400 series only	Forest Green 400 series only	Sandtone	Terratone 400 series only
-------	------------------------------	------------------------------------	----------	---------------------------------



400 Series - Casement
Pine

SILVERLINE BY ANDERSON

- VI - V3 Series
- Finelight (Grilles between glass)

Exterior and Interior Finishes

White	Sandtone	Beige	Dark Bronze with white interior
-------	----------	-------	---------------------------------------



V1 Series - Single Hung

*Visit website for more color options.

ANDERSEN 200 SERIES WINDOW SCHEDULE




Finelight™ Grilles-between-the-Glass

	Type	Code	Rough Opening	Light	Vent
1	Double Hung	244DH2436	28" x 42"	4.98	3.06
2	Double Hung	244DH2846	32" x 54"	8.03	4.75
3	Double Hung	244DH3049 ^a	36" x 57"	9.91	5.76
4	Double Hung	244DH2856 ^a	32" x 66"	10.16	5.94
5	Double Hung	244DH2860 ^a	32" x 72"	11.22	6.54
6	D.H. Picture	244DH2046/ 244FX4946/ 244DH2046	104 1/2" x 54"	27.68	6.76
7	DH 45° Bay	45-3446-20	84 3/4" x 58 3/4"	25.73	7.78
9	Casement Picture	CW25-2	114 3/8" x 60 3/8"	36.6	34.6
10	Casement	CW135 ^b	28 7/8" x 41 3/8"	6.0	5.7
11	Casement	CW15 ^a	28 7/8" x 60 3/8"	9.2	8.6
12	Double Hung	244DH2046	24" x 54"	5.51	3.42
13	Double Hung	244DH2049	24" x 57"	5.88	3.63
14	Double Hung	244DH2056	24" x 66"	6.97	4.28
15	Double Hung	244DH2060	24" x 72"	7.70	4.71
16	Double Hung	244DH3056 ^a	36" x 66"	11.75	6.77
17	Double Hung	244DH3060 ^a	36" x 72"	12.98	7.45
18	D.H. Circle Top	244CT20	24" x 15 1/8"	0.84	0
19	D.H. Circle Top	244CT24	28" x 16 5/8"	1.26	0
20	D.H. Circle Top	244CT28	32" x 18 5/8"	1.77	0
21	D.H. Circle Top	244CT30	36" x 20 5/8"	2.37	0
22	CSMNT Circle Top	CTCW1	28 7/8" x 17"	1.5	0
23	Casement	CN235	41 1/4" x 41 3/8"	8.0	7.2
24	C. Top / Picture	CTC3 OVER C335	72 3/8" x 79 3/4"	29.2	0
27	Awning	AN31	36 1/2" x 21"	3.5	1.3

ANDERSEN 400 SERIES WINDOW SCHEDULE



Key	Type	Code	Rough Opening	Light	Vent
1	Double Hung	TW24210	30 1/8" x 36 7/8"	4.46	2.58
2	Double Hung	TW2842	34 1/8" x 52 7/8"	8.23	4.64
3	Double Hung	TW3046 ^a	38 1/8" x 56 7/8"	10.31	5.73
4	Double Hung	TW2852 ^a	34 1/8" x 64 7/8"	10.48	5.88
5	Double Hung	TW2856 ^b	34 1/8" x 68 7/8"	11.22	6.3
6	D.H. Picture	TW20-DHP4246-20	103 7/16" x 56 7/8"	25.4	6.4
7	D.H. 45° Bay	TW45-31046-20	90 1/2" x 58 3/4"	25.4	6.4
8	Casement Bow	C45 BOW	97 3/8" x 61 7/8"	30.2	10.8
9	Casement Picture	CW25-2 ^a	114 3/8" x 60 3/8"	36.6	34.6
10	Casement	CW135 ^b	28 7/8" x 41 3/8"	6	5.7
11	Casement	CW15 ^a	28 7/8" x 60 3/8"	9.2	8.6
12	Double Hung	TW2042	26 1/8" x 52 7/8"	5.79	3.4
13	Double Hung	TW2046	26 1/8" x 56 7/8"	6.31	3.7
14	Double Hung	TW2052	26 1/8" x 64 7/8"	7.37	4.31
15	Double Hung	TW2056	26 1/8" x 68 7/8"	7.89	4.61
16	Double Hung	TW3052 ^a	38 1/8" x 64 7/8"	12.03	6.67
17	Double Hung	TW3056 ^a	38 1/8" x 68 7/8"	12.89	7.14
18	D.H. Circle Top	CTN20	26 1/8" x 15 3/4"	1.1	0
19	D.H. Circle Top	CTN24	30 1/8" x 17 3/4"	1.6	0
20	D.H. Circle Top	CTN28	34 1/8" x 19 3/4"	2.2	0
21	D.H. Circle Top	CTN30	38 1/8" x 21 3/4"	2.8	0
22	CSMNT Circle Top	CTCW1	28 7/8" x 17 3/4"	1.5	0
23	Casement	CN235	41 1/4" x 41 3/8"	8.0	7.2
24	C. Top / Picture	CTC3 OVER C335	72 3/8" x 79 3/4"	29.2	0
25	Elliptical	ET6	72" x 17 3/8"	4.3	0
26	Octagon	OC20	24 1/2" x 24 1/2"	2.13	0
27	Awning	AN 31	36 1/2" x 21"	3.5	1.3
28	C. Top/D.H./Flankers	CTN28/DHP1042-TW2842-DHP1042	58 3/8" x 72 1/4"	14.83	4.64



ANDERSEN SILVERLINE V3 SERIES WINDOW



White


Beige

Sandtone

Bronze
with white
interior

	Type	Code	Rough Opening	Light	Vent
1	Double Hung	24210	30 1/4" x 37 1/4"	4.95	2.61
2	Double Hung	2842	34 1/4" x 53 1/4"	8.85	4.68
3	Double Hung	3046 ^a	38 1/4" x 57 1/4"	11.01	5.78
4	Double Hung	2852 ^a	34 1/4" x 65 1/4"	11.15	5.94
5	Double Hung	2856 ^a	34 1/4" x 69 1/4"	11.92	6.35
6	D. H. Picture	20/34/20/46	93 3/4" x 57 1/4"	26.34	3.74
12	Double Hung	2042	26 1/4" x 53 1/4"	6.28	3.44
13	Double Hung	2046	26 1/4" x 57 1/4"	6.83	3.74
14	Double Hung	2052	26 1/4" x 65 1/4"	7.91	4.36
15	Double Hung	2056	26 1/4" x 69 1/4"	8.46	4.66
16	Double Hung	3052	38 1/4" x 65 1/4"	12.77	6.73
17	Double Hung	3056	38 1/4" x 69 1/4"	13.64	7.2
18	D.H. Circle Top	2/0	26 1/4" x 15"	1.23	0
19	D.H. Circle Top	2/4	30 1/4" x 17"	1.74	0
20	D.H. Circle Top	2/8	34 1/4" x 19"	2.33	0
21	D.H. Circle Top	3/0	38 1/4" x 21"	3.02	0
	TRANSOM	3051PW	39 1/2" x 13 1/2"	2.10	0

ANDERSEN SILVERLINE V1 SERIES WINDOW SCHEDULE



	Type	Code	Rough Opening	Light	Vent
1	Double Hung	24210	30 1/4" x 37 1/4"	4.95	2.61
2	Double Hung	2842	34 1/4" x 53 1/4"	8.85	4.68
3	Double Hung	3046 ^a	38 1/4" x 57 1/4"	11.01	5.78
4	Double Hung	2852 ^a	34 1/4" x 65 1/4"	11.15	5.94
5	Double Hung	2856 ^a	34 1/4" x 69 1/4"	11.92	6.35
6	D. H. Picture	20/34/20/46	93 3/4" x 57 1/4"	26.34	3.74
12	Double Hung	2042	26 1/4" x 53 1/4"	6.28	3.44
13	Double Hung	2046	26 1/4" x 57 1/4"	6.83	3.74
14	Double Hung	2052	26 1/4" x 65 1/4"	7.91	4.36
15	Double Hung	2056	26 1/4" x 69 1/4"	8.46	4.66
16	Double Hung	3052	38 1/4" x 65 1/4"	12.77	6.73
17	Double Hung	3056	38 1/4" x 69 1/4"	13.64	7.2
18	D.H. Circle Top	2/0	26 1/4" x 15"	1.23	0
19	D.H. Circle Top	2/4	30 1/4" x 17"	1.74	0
20	D.H. Circle Top	2/8	34 1/4" x 19"	2.33	0
21	D.H. Circle Top	3/0	38 1/4" x 21"	3.02	0
	TRANSOM	3051PW	39 1/2" x 13 1/2"	2.10	0

WINDOWS

Marvin Integrity
marvin.com/integrity/windows

ALL - ULTREX WINDOWS

- Double Hung
- Single Hung
- Casement
- Awning
- Grilles Between Glass



*Integrity
 Wood-Ultrex
 Casement*


WOOD - ULTREX WINDOWS

- Double Hung
- Casement
- Awning
- Grilles Between Glass

All Ultrex Interior




All Ultrex & Wood Ultrex Exterior Colors




Wood Ultrex Interior




All Ultrex GBG Options




Rectangular



Prairie




2w2h



2w1h




*Equal Lite,
 Horizontal*




*Equal Lite,
 Vertical*

Wood Ultrex GBG Options



Rectangular



Prairie



Prairie

** View more options on marvin.com/integrity/*

MARVIN INTEGRITY WINDOW SCHEDULE



Key	Type	Code	Rough Opening	Light	Vent
1	Double Hung	IDH3036	30 1/2" x 36 1/4"	4.51	2.63
2	Double Hung	IDH3452 ^a	34 1/2" x 52 1/4"	4.74	8.35
3	Double Hung	IDH3856 ^a	38 1/2" x 56 1/4"	10.44	5.83
4	Double Hung	IDH3464 ^a	34 1/2" x 64 1/4"	10.66	6.02
5	Double Hung	IDH3468C*	34 1/2" x 68 1/4"	11.42	5.16
6	D.H. Picture	IDH2256/IDH6256/ IDH2256	105 1/2" x 56 1/4"	30.32	6.42
7	D.H. 45° Bay	26-50-26-56	92 9/32" x 57 11/16"	28.73	7.78
8	Casement Bow	4W2559	96 9/16" x 59 11/16"	28.12	30.64
9	Casement Picture	ICA2959 4W	113" x 59 5/8"	34.12	36.76
10	Casement	ICA2939	29" x 39" 5/8"	5.37	5.83
11	Casement	ICA2959 ^a	29" x 59 5/8"	8.53	9.19
12	Double Hung	IDH2652	26 1/2" x 52 1/4"	5.94	3.51
13	Double Hung	IDH2656	26 1/2" x 56 1/4"	6.49	3.82
14	Double Hung	IDH2664	26 1/2" x 64 1/4"	7.58	4.46
15	Double Hung	IDH2668C *	26 1/2" x 68 1/4"	8.12	3.82
16	Double Hung	IDH3864 ^a	38 1/2" x 64 1/4"	12.20	6.8
17	Double Hung	IDH3868C ^a	38 1/2" x 68 1/4"	13.07	5.83
19	D.H. Circle Top	IRT30-1W DH	30 1/2" x 15 1/4"	1.22	0
20	D.H Circle Top	IRT34-1W DH	34 1/2" x 17 1/4"	1.72	0
21	D.H. Circle Top	IRT38-1W DH	38 1/2" x 19 1/4"	3.0	0
22	CSMNT Circle Top	IRT21-2W CA	41" x 20 1/2"	3.1	0
23	Casement	ICA2139-2W	41" x 39 5/8"	6.96	7.8
24	C. Top / Picture	IRT25-3WCA/ 1CAP7339	73" x 76 1/2"	32.41	0
25	Elliptical	IRTDR7218	72" x 18 1/2"	4.41	0
26	Octagon	2/0	24 1/2" x 24 1/2"	3.0	0
27	Awning	IAWN3719	37" x 19 5/8"	2.97	3.31


PLYGEM 1500 SERIES

- Vinyl Single Hung
- Casement
- Grills Between Glass

Interior Colors



Exterior Colors



1500 Series - Single Hung

MIRA PREMIUM SERIES

- 20 Year Warranty
- Aluminum Clad
- HP Glass
- Warm Edge Technology
- Impact Rated - Double Hung, Casement & Awning, French Outswing Patio Doors

*Standard Exterior Colors:



Interior Colors:



Mira - Double Hung

*See website for additional collections and corresponding color options

PLYGEM WINDOW SCHEDULE

- Vinyl Single Hung
- Vinyl Double Hung
- Casement
- Grilles Between Glass



Key	Type	Code	Rough Opening	Light	Vent
1	Double Hung	24210	30 3/8" x 37 5/8"	4.9	2.39
2	Double Hung	2842	34 3/8" x 53 5/8"	8.8	4.41
3	Double Hung	3046 ^a	38 3/8" x 57 5/8"	11.0	5.93
4	Double Hung	2852 ^a	34 3/8" x 65 5/8"	11.1	6.04
5	Double Hung	2856 ^b	34 3/8" x 69 5/8"	11.9	6.06
6	D.H. Picture	1840/46M	95 1/8" x 57 5/8"	25.22	6.04
7	D.H. 45° Bay	TVBDH20-4046-45	91 7/16" x 59 1/8"	34.3	7.0
7	S.H. 45° Bay	TVBDH20-4046-45	93 3/4" x 59 1/8"	34.3	7.0
8	Casement Bow	2050/4BOW	93 5/8" x 61 1/2"	25.6	10.6
9	Casement Picture	2050-4 ^a	96" x 60"	31.6	27.2
10	Casement	2436 ^b	28" x 42"	5.3	4.57
11	Casement	2450 ^a	28" x 60"	7.9	6.82
12	Double Hung	2042	26 3/8" x 53 5/8"	6.3	3.22
13	Double Hung	2046	26 3/8" x 57 5/8"	6.8	3.52
14	Double Hung	2052	26 3/8" x 65 5/8"	7.9	4.12
15	Double Hung	2056	26 3/8" x 69 5/8"	8.5	4.42
16	Double Hung	3052 ^a	38 3/8" x 65 5/8"	12.7	6.41
17	Double Hung	3056 ^a	38 3/8" x 69 5/8"	13.6	6.87
18	D.H. Circle Top	20 MCH	26 3/8" x 13 7/16"	1.1	0
19	D.H. Circle Top	24 MCH	30 3/8" x 15 7/16"	1.6	0
20	D.H. Circle Top	28 MCH	34 3/8" x 17 7/16"	2.2	0
21	D.H. Circle Top	30 MCH	38 3/8" x 19 7/16"	2.8	0
22	CSMNT Circle Top	28CH	32" x 16 1/4"	2.2	0
23	Casement	1836-2	40" x 42"	6.6	5.08
24	C. Top / Picture	TVBDH6038P/TVBDH60DH	72" x 80 1/4"	32.72	0
25	Elliptical Eyebrow	TVCS 71 1/2	72" x 24 5/16"	4.62	0
26	Octagon	2/0 OCTAGON	24" x 24"	2.14	0
27	Awning	CLAW2818	32" x 20"	2.4	2.28
28	C. Top / D.H./Flankers	TVBDH28/1042-2842-1042	59 3/8" x 71 1/16"	14.52	4.25
	Transom	TVBDH3410MTN	42 3/8" x 13 7/8"	2.10	0



VIWINCO OCEANVIEW FEATURES & BENEFITS

- Full-time protection against hurricane-force winds, plus superior thermal performance
- patented tilt-n-lock adds reinforcement for structural performance



VIWINCO S-SERIES FEATURES & BENEFITS


- Premier New construction line includes a 15/16" double-strength, insulated glass unit
- Unique sash interlock adds security




PLASTPRO UPGRADE OPTIONS



**Heirloom
Collection**




**Chateau
Collection**



**Grace
Collection**




**Belaire
Collection**



**Courtyard
Collection**




**Impressions
Collection**




**Jamestown
Collection**




**Noble
Collection**



**Metro
Collection**



**Oak Park
Collection**



**Lumiere
Collection**



**Paris
Collection**

Pictured are a few of the glass options that are available as a Plastpro exterior door upgrade. To view style & surface options and more visit keystonekomfort.com. Using this website, you can build your own door, picture the end result, and receive a model number to simplify the ordering process. Check back often - more color options will be added in the near future!

EXTERIOR DOORS

Andersen ♦ Plastpro ♦ Therma-tru


EXTERIOR DOOR SCHEDULE

Key	Opening	Type	Rough Opening	Manufacturer	Light	Vent
A	3068	36" Insulated Core	38 1/2" x 82 1/2"	Therma-tru	0	19.4
			38 1/4" x 82 1/2"	Plast-pro	0	19.2
B	2868	32" Insulated Core	34 1/2" x 82 1/2"	Therma-tru	5.1	17.2
			34 1/4" x 82 1/2"	Plast-pro	5.12	17.08
C	2868	32" Steel Frame Insulated Fire rated 90 Min.	33" x 81 3/8"	Therma-tru	0	17.2
			33 1/4" x 81 3/8"	Plast-pro	0	17.08
	3068	36" Steel Frame Insulated Fire rated 90 Min.	37" x 81 3/8"	Therma-tru	0	19.4
			37 1/4" x 81 3/8"	Plast-pro	0	19.2
D	4868	36" Insulated Core w/ (1) 12" Sidelight	51 1/2" x 82 1/2"	Therma-tru	1.7	19.4
			51 3/4" x 82 1/2"	Plast-pro	1.95	19.2
E	6068	36" Insulated Core w/ (2) 12" Sidelights	65 1/2" x 82 1/2"	Therma-tru	3.4	19.4
			65 1/4" x 82 1/2"	Plast-pro	3.9	19.2
F	6268	36" Insulated Core w/ (2) 14" Sidelights	68 1/2" x 82 1/2"	Therma-tru	3.4	19.4
			69 1/4" x 82 1/2"	Plast-pro	3.9	19.2
Q	6068	6' - 0" Sliding Patio	72" X 80"	Plygem	30.8	15.28
			72" X 80"	Andersen	23.78	14.72
			72 1/8" X 80 1/2"	Silverline	23.78	14.72
R	6068	6' - 0" Hinged Patio	75 1/4" X 82 1/2"	Therma-tru	18.52	18.45
			72" X 80"	Andersen	21.92	16.11
			75 3/4" x 82 1/2"	Plast-pro	19.44	17.08
S	9068	9' - 0" Hinged Patio	112 3/4" X 82 1/2"	Therma-tru	27.78	18.45
			108" X 80"	Andersen	32.88	16.11
T	(2)2868	Double Entry - Insulated Core	67 1/4" X 82 1/2"	Therma-tru	0	33.03
			66 3/4" X 82 1/2"	Plast-pro	0	34.16
U	(2) 3068	Double Entry - Insulated Core	75 1/4" X 82 1/2"	Therma-tru	0	37.85
			75 3/4" X 82 1/2"	Plast-pro	0	38.4
V	(2) 8468	Double Entry - Insulated Core w/ (2) 12" Sidelights	102 1/2" X 82 1/2"	Therma-tru	0	35.3
			101 1/2" X 82 1/2"	Plast-pro	0	38.4
W		36" Insulated Core w/ Transom	38 1/2" X 96"	Therma-tru	3.01	19.4
			38 1/4" X 96"	Plast-pro	2.86	19.2
X		36" Insulated Core w/ Transom and (2) 12" Sidelights	65 1/2" X 96"	Therma-tru	8.43	19.4
			65 1/4" X 96"	Plast-pro	8.54	19.2
Y		36" Insulated Core w/ Transom and (2) 14" Sidelights	69 1/2" X 96"	Therma-tru	8.76	19.4
			69 1/4" X 96"	Plast-pro	8.52	19.2


HERITAGE SERIES LAMINATED ASPHALT SHINGLES

Heritage® Premium Laminated Asphalt Shingles by TAMKO® have always provided years of striking beauty and excellent roof protection. They also offer the longest up-front protection available. The shadow tone granule blend adds extra richness and depth, and the random-cut saw tooth design prevents unsightly zipper patterns. This is backed by a 50-Year Limited Warranty. Tamko offers two color styles in the Heritage Series. The classic heritage colors are time-honored favorites that create a traditional look, while America's Natural Colors® add a contemporary flair with dramatic and vibrant hues.


Heritage shingles, made with TAMKO®'s own fiberglass matt, improve the look and value of your home without the high costs or liabilities associated with wood. This makes it ideal for new construction or re-roofing.




Natural Timber




Olde English Pewter




Oxford Grey




Rustic Black




Rustic Cedar




Rustic Evergreen




Rustic Redwood



Rustic Slate




Slatetone Grey




Thunderstorm Grey

- 50 year limited warranty
- 20 year full start period
- 5 year limited transferability
- 10 year algae relief/cleaning warranty
- 15 year limited warranty against wind damage up to 130 mph



Virginia Slate



Weathered Wood

MAINSTREET DELUXE

- Natural woodgrain or brushed appearance
- RigidForm™ 160 technology has been tested to withstand wind pressures up to 160 mph
- Virtually maintenance free and never needs painting
- Lifetime limited warranty



Autumn Red



Charcoal Gray




Flagstone



Forest



Hearthstone




Pacific Blue




Sable Brown

MONOGRAM BLENDS


- TrueTexture™ woodgrain finish - molded from real cedar boards
- RigidForm™ 220 technology has been tested to withstand wind pressures up to 220 mph
- Virtually maintenance free, never needs painting
- Lifetime limited warranty
- Works with traditional length Monogram 46 siding




Arbor Blend
Premium Color




Artic Blend
Premium Color




Canyon Blend
Deluxe Color




Frontier Blend
Premium Color




Glacier Blend
Deluxe Color



Meadow Blend
Deluxe Color




Timber Blend
Premium Color




Weathered Blend
Premium Color

MONOGRAM DELUXE


- TrueTexture™ finish molded from real cedar boards
- RigidForm™ 220 technology has been tested to withstand wind pressures up to 220 mph
- Virtually maintenance free, never needs painting
- Lifetime limited warranty
- Works with traditional length Monogram 46 siding




Autumn Red




Brownstone




Charcoal Gray



Espresso




Flagstone




Forest



Hearthstone




Melrose



Midnight Blue




Mountain Cedar




Pacific Blue



Sable Brown



Slate




Spruce



Terra Cotta


QUEST 3 - BLEND



American Walnut




Cape Cod Grey



Glacier Blue



Natural Cedar



Timberstone




Woodland Green

Quest offers an authentic wood look while providing excellent strength and durability. Both cedar and solid colors are available to help homeowners customize their one-of-a-kind home. Equipped to withstand wind speeds up to 240 mph and a V.I.P. limited lifetime warranty are just some of the benefits that make Quest an attractive choice.

QUEST 3 - SOLID




Almond




Cameo



Classic Cream



Colonial Yellow




Corn Silk



Desert Sand



Everest



Harbor Grey



Linen



Pebblestone Clay




Sage



Sandstone



Scottish Thistle



Silver Grey



Tuscan Olive



Victorian Grey



White



Wicker

QUEST 3 - PREMIUM




Autumn Harvest



Deep Granite



English Wedgewood




Lakeshore Fern




Misty Shadow



Montana Suede




Portsmouth Blue




Quiet Willow



Rugged Canyon



Russet Red



Vineyard Grove

JELD WEN INTERIOR DOORS

- Made from molded high-density fiber board, doors resist shrinking, swelling, cracking and joint separation.
- Covered by a 5 year limited warranty

Smooth Surface - Flat Panel



**Craftsman III
Smooth**
Craftsman
Sticking
6'8" & 7'0"



**Madison
Smooth**
Craftsman
Sticking 6'8"
7'0" & 8'0"



**Conmore
Smooth**
Stepped
Sticking
6'8" & 7'0"



**Monroe
Smooth**
Craftsman
Sticking
6'8" , 7'0"
& 8'0"



**Colonist
Smooth**
Cove &
Bead
Sticking
6'8" , 7'0"
& 8'0"



**Rockport
Smooth**
Cove & Bead
Sticking
6'8" , 7'0"
& 8'0"

Smooth Surface - Raised Panel



**Princeton
Smooth**
Cove & Bead
Sticking
6'8" , 7'0"
& 8'0"



**Santa Fe
Smooth**
Ovolo Sticking
6'8" , 7'0"
& 8'0"



**Cambridge
Smooth**
Ovolo Sticking
6'8" , 7'0"
& 8'0"



**Carrara
Smooth**
Cove & Bead
Sticking
6'8" & 7'0"
& 8'0"



**Caiman
Smooth**
Cove & Bead
Sticking
6'8" & 7'0"
& 8'0"



**Continental
Smooth**
Ovolo Sticking
6'8" , 7'0"
& 8'0"

Smooth Surface - Raised Panel


FEATURES

- Privacy locking standard for bathrooms and master bedroom; passage only throughout remainder of house
- Easy 3-step installation, only a screwdriver needed
- Quality materials and construction for exceptional security
- Lifetime finish and mechanical guarantee (oil rubbed bronze - mechanical guarantee only)

LASALLE LEVER



Aged Bronze



**Aged
Bronze**

**Antique
Brass**


**Bright
Brass**

**Satin
Nickel**

BOWERY KNOB



Satin Chrome



**Polished
Nickel**

**Satin
Nickel**

**Matte
Black**

**Bright
Chrome**

**Satin
Chrome**

**Aged
Bronze**

PLYMOUTH KNOB



Matte Black



**Bright
Brass**

**Antique
Brass**

**Oil Rubbed
Bronze**

**Satin
Nickel**

**Antique
Pewter**

**Matte
Black**



**Bright
Chrome**

**Satin
Chrome**

**Aged
Bronze**

DINING ROOM LIGHT

- 26 ¼" diameter x 18 ⅛" height
- Adjustable 94" chain
- Etched Glass Shades
- Uses (5) 100 watt maximum bulbs



*HS41004-125
Bronze*

KITCHEN CEILING

- 7" height x 13 ¼" width
- Etched Glass Shade
- Uses (2) 60 watt medium base bulbs



*HS31004-125
Bronze*

BREAKFAST NOOK LIGHT

- 16 ½" diameter x 12" height
- Adjustable 85 ¼" chain
- Prismatic Glass
- Uses (1) 200 watt maximum



*HS41001-125
Bronze*

HALL, FOYER, WALK-IN CLOSET & LAUNDRY ROOM LIGHT

- 11 3/8" diameter 6" height
- Etched Glass
- Uses (1) 60 medium base bulb



*HS31003-125
Bronze*

PENDANT LIGHT

- 7 1/2" diameter x 6 3/8" height, 63 3/4" stem
- Etched Glass
- Uses (1) 100 watt medium base bulbs



*HS41008-125
Bronze*

VANITY BAR LIGHT

- 18" width, 8" height
- Etched Glass Shades
- Uses (2) 60 watt medium base bulbs



*HS21008-125
Bronze*

EXTERIOR LIGHT

- 14 1/4" height x 6" width
- Clear Glass
- Uses (1) 100 watt medium base bulb



*HS71006-125
Bronze*

CAN LIGHTS

- Indirect lighting, eliminated hot spots
- Spectacular dimmability - built in driver compatible with most brand dimmer switches
- State of the art lens-less Design
- CRI (Color Rendering Index) - renders colors bright and true
- IC
- Air Tight
- Damp Location
- 50,000 hour lifespan



Model 410D20490
4" Recessed



Model 410D21690
6" Recessed

SPECIFICATIONS

3.6" H	4.2" H
4.9" W	7.1" W
4.25" Rough Opening	6.375" Rough Opening
White Finish	White Finish
120V AC	120V AC
60 Hz	60 Hz
10 W	15 W
CRI > 90	CRI > 90
650 - 720 Lumens	1000 - 1100 Lumens
146° Beam Angle	151° Beam Angle

CAN LIGHTS

P8060-28 6" Shower Light *Fits P83-ICAT*

- Incandescent trim
- Albalite glass lens
- White powdercoat finish
- 7 $\frac{3}{4}$ " outside diameter



P8061-28 5" LED Retrofit Downlight *30K9-AC1-L06*

- Polycarbonate lens
- Dimmable to 10% with many low voltage dimmers
- Wet location



P8009-60 Drop Opal Shower Light With Reflector *P87-AT Housing*

- Drop Opal glass lens
- Bright white plastic flange
- 6" outside diameter



P8063-28 Shallow 6" Step Baffle *P86-TG Step Baffle Trim*

- White finish
- Bright white powder flange
- No light leaks from flange
- 7 $\frac{3}{4}$ " outside diameter



P8109-28 5" Drop Opal Shower Light *P84-AT Shallow Housing with cover*

- Light with reflector
- Drop Opal glass lens
- Bright White finish



P8375-28 5" Shallow Baffle *P84-AT Shallow Housing*

- Bright white finish
- One-piece construction with integral matching flange



P8367-WL Lensless 5" Light

- Bright White finish
- All aluminum construction
- Wet location
- Waterproof rated (requires outdoor rated bulb)



P8066-28 6" Step Baffle Single Verticle Lamp *P87-ATQC with Tenmat Model FF109-300*

- One piece aluminum const
- Bright white finish
- 7 $\frac{3}{4}$ " outside diameter



FIREPLACE SURROUNDS



Washington



Jackson



Adams



Roosevelt



Lincoln



Jefferson

FIREPLACE SURROUNDS



**Brick & Wood
with Raised Hearth**



Brick & Wood



**Tile & Wood
with Raised Hearth**



Tile & Wood



Castle Rock Kitchen Hearth

FIREPLACE SURROUNDS - DRYSTACK



Pennsylvania Drystack with Top Unit



Carnoustie Drystack with Raised Hearth Box



Castle Rock Arch Surround



Pennsylvania Drystack



Pennsylvania Drystack with Raised Hearth Box

FIREPLACE SURROUNDS - FIELDSTONE



Carnoustie Fieldstone with Raised Hearth Box



Pennsylvania Fieldstone



Sedona Fieldstone



West Chester Fieldstone

FIREPLACE MANTLE & SURROUNDS



Acadia



Battlefield



Roxborough



Kenwood

STONE SURROUND OPTIONS



Absolute



Caledonia



Tan Brown Granite




New Venetian Granite


WOOD SPECIES



MDF
Primed



Distressed Knotty
Alder



Maple
Unfinished

DIRECT VENT GAS FIREPLACE

- Install anywhere with a design that's perfect for corners with multiple venting options
- Adjust flame, heat, and ambiance with built-in controls
- Available in 36" or 42" models



Novus Direct Vent Fireplace

(See preceding pages for surrounds and mantel options)



Brick Interior Panel

Remote Control Options:

- **Style #1001** - simple on / off design
- **Style # 3001** - on / off with thermostat

IntelliSwitch200 - on / off, pilot activation, strength indicator, automatic battery backup, fan speed

Model	Front Width	Back Width	Height	Depth	Opening Size	BTU/HR Input (NG)
NBV/NDV4236I	41" (1041mm)	14 ⁵ / ₈ " (371mm)	35 ¹ / ₄ " (896mm)	19 ¹ / ₈ " (486mm)	36" (914mm)	17,000 - 25,000
NBV/NDV4842I	47" (1194mm)	20 ⁵ / ₈ " (524mm)	35 ¹ / ₄ " (896mm)	19 ¹ / ₈ " (486mm)	42" (1067mm)	19,000 - 27,500

WOOD-BURNING FIREPLACE

- Radiant or heat-circulating options
- 36” or 42” viewing areas



**Accelerator Wood-Burning Fireplace
with Bi-fold Door**

(See preceding pages for surrounds and mantel options)



Traditional Refractory

Door Options:

- **Bi-fold** (pictured with above fireplace)
- **Gasketed** (pictured right)

Model	Opening Size	Front Width	Back Width	Depth
A36R/C	36”	42”	28 $\frac{1}{4}$ ”	14 $\frac{1}{8}$ ”
A42R/C	42”	48”	30 $\frac{7}{8}$ ”	15 $\frac{1}{2}$ ”

DIRECT VENT GAS FIREPLACE

- Available in 35” and 40” models with Top/Rear Combo convertible vent
- Dependable millivolt ignition system operates during power outages
- Standard tempered glass and 2015 ANSI barrier compliant
- Detailed ceramic fiber “aged oak” log set with ½” heavy-duty grate
- Heat-activated variable speed blower and on-off remote control included
- Gas Conversion Kit standard (NG/LP)
- 20 year limited warranty



**Superior Direct Vent Gas Fireplace
MHD35/MHD40**



Buff Stacked



**Included
Remote**

(See preceding pages for surrounds and mantel options)

Model	Opening Size	Front Width	Back Width	Depth
MHD35	32 ⁷ / ₈ ”	38”	25”	17”
MHD40	37 ⁷ / ₈ ”	40 ¹ / ₄ ”	30”	17”

FLOOR COVERINGS

Shaw Carpet
shawfloors.com

BELIEVE IT



Bark - 702



Flax Seed - 111



Flint - 703



Mink - 708



Tavern Grey - 500



Twine - 100

FRESHEN UP



Chamois - 200



Cold Water - 500



Dunes - 102



Sea Salt - 501




Townhouse - 701




Winter White - 100


GO SOFTLY




Natural Wood - 701



Twig - 730



Warm Oatmeal - 722



Wheat - 250

THAT'S AWESOME



Beach Glass - 300



Flax Seed - 130



Gravel - 531



Pebble Path - 730



Sandy Brown - 733



Toffee Smoke - 732

GRAND ESCAPE

- 45 oz. textured carpet
- Advanced solution dyed - continuous filament PET Frieze
- Colorfast



Antique



Baracoa




Dorado



Dove Gray




Cusco




Dusty Beige



Mocha



Pearl



Sunrise



Salvador

AMERICAN SCRAPE HARDWOOD

These selections feature maple or oak with a hand-scraped textured finish design and micro edge.

- Armstrong Flooring Lifetime Finish
- 50 Year Residential Warranty
- 10 Year Commercial Warranty
- 3¼ or 5 inch wide solid hardwood plank
- ¾ inch thickness


Maple



Brown Ale




Cranberry Woods



Dark Lava




Gold Rush



Nantucket




River House




Seneca Trail


Oak




Brown Bear




Great Plains




Gunstock



Nantucket



Natural




Wild West

PRIME HARVEST HARDWOOD


These selections feature oak with a traditional finish and micro edge.

- Armstrong Flooring Lifetime Finish
- 50 Year Residential Warranty
- 10 Year Commercial Warranty
- 3¼ or 5 inch wide solid hardwood plank
- ¾ inch thickness


Oak




Blackened Brown




Butterscotch




Cocoa Bean




Forest Brown




Gunstock



Mystic Taupe



Natural



Oceanside Gray

FLOOR COVERINGS


PROGEN

Luxury Vinyl Plank Flooring with Rigid Core Technology


- Locking click system
- Waterproof rigid construction
- Superior scratch resistance and indent resistance
- Resists buckling and warping
- Holds up to temperature change and sunlight



**Durham Pine
Tavern**
PGD8111
5" x 48" plank




**Milled Oak
Copper**
PGM025L2
7" x 60" plank




**Rock Maple
Medio**
PGRM6211
5" x 48" plank



**Spicebark Hickory
Comino**
PGSH87L7
7" x 60" plank



**Stained Maple
Carmine**
PGSM4333
5" x 48" plank




**Stokes Range
Dusk**
PGSR661D
7" x 48" plank


TRENDLINE PRO

Laminate Flooring


- DUOLoc locking system
- Fade Resistant
- Easy maintenance and stain removal
- Anti-static
- Compatible with underfloor heating




Bahamas Oak - 62001637
7.48" Plank



Cambridge Oak - 62001632
7.48" Plank



Fuji Oak - 62001636
7.48" Plank





London Oak - 62001635
7.48" Plank

FLOOR COVERINGS


Fusion Hybrid Flooring
fusionvisionfloors.com

FUSION WPC PLANKS


- Permacore™ technology
- 100% waterproof
- Stable - core will not expand or contract
- Easy maintenance
- Sound dampening




Barnwood Gray - 08
6" Plank




Blond Acacia - 06
6" Plank




Exotic Mahogany - 01
6" Plank




Lodge Oak - 32
6" Plank



Natural Pecan - 10
6" Plank



Summit Denali - 702
7" Plank




Summit Zion - 703
7" Plank

FUSION WPC TILES



Ashton Slate - 22
12" x 24" Tile



Marble - 21
12" x 24" Tile



Slate - 20
12" x 24" Tile



Travertine Blanc - 25
12" x 24" Tile

FLOOR COVERINGS

Armstrong Engineered Tile Flooring
armstrongflooring.com


Like stone, ceramic and porcelain, Alterna Engineered Tile flooring is incredibly beautiful and durable. But its comfortable surface makes Alterna warmer to the touch, kinder to your feet, and easier to care for in any room of your home.

- Lifetime limited warranty
- Water, scratch, and stain repellent
- Crack resistant

ALTERNA - 12" x 24" x 0.160" Tiles



Enchanted Forest
Forest Fog
D7199




Enchanted Forest
Night Owl
D7197




Grain Directions
Antique Ivory
D7365



Historic District
Blanched Mist
D7350



Historic District
Farmhouse Linen
D7345



Mesa Stone
Light Grey
D7113




Urban Gallery
Grey
D7117



Urban Gallery
Neutral
D7118


ALTERNA - 16" x 16" x 0.160" Tiles




Artisan Forge
Golden Glaze
D4194




Durango
Bleached Sand
D4157



Mesa Stone
Beige
D4106



Mesa Stone
Fieldstone
D4115



Mesa Stone
Light Grey
D4113


FLOOR COVERINGS

Armstrong Engineered Tile Flooring
armstrongflooring.com


Like stone, ceramic and porcelain, Alterna and Alterna Reserve Engineered Tile flooring is incredibly beautiful and durable. But its comfortable surface makes Alterna warmer to the touch, kinder to your feet, and easier to care for in any room of your home.

- Lifetime limited warranty
- Water, scratch, and stain repellent
- Crack resistant


ALTERNA RESERVE - 16" x 16" x 0.160" Tiles




Allegheny Slate
Bronze Age
D4331




Allegheny Slate
Copper Mountain
D4332




Allegheny Slate
Italian Earth
D4330




Athenian Travertine
Honey Onyx
D4340




Athenian Travertine
Provincial Bisque
D4342



Moselle Valley
Forest Green/Copper
D4324



Moselle Valley
Honeysuckle
D4320



Moselle Valley
Sunrise
D4322


ALTERNA COORDINATED GROUT

Coordinate grout to enhance the authentic tile look of your Alterna floor. Armstrong S-693 Pre-mixed Sanded Acrylic Grout is ready to use, requires no sealing, and resists stains and cracking.

The right grout will enhance the beauty of your Alterna® floor. Your choice will depend on the look you wish to achieve.



Matching the grout color to the tile results in less noticeable lines between each tile and creates a more fluid look to the floor.




Contrasting the tile with a darker or lighter color grout will add definition to the lines between each tile and emphasize the tile size and installation pattern.


WARM TONES




G7 Cocoa




L12 Corn Silk




F6 Driftwood



E5 Gypsum




C3 Sandalwood



I9 Seashell


COOL TONES



A1 Glacier



J10 Mist




D4 Mushroom



H8 Shale



K11 Silver Cloud



B2 Smoke


FLOOR COVERINGS

Florida Tile
floridatile.com/products


SAVANNAH



Cobblestone Taupe
FTI24324




Magnolia White
FTI24301




Plantation Beige
FTI24324


CONTINENT



Coastal Sand
FTI29936




Delta Haze
FTI29914




Sierra Clay
FTI29927

CRAFTSMAN



Biscuit
FTI27202




Rye
FTI27224




Wheat
FTI27230

MALTESE



Porto Cream
FTI29622




Roman Gray
FTI29615




Savannah - Plantation Beige

GROUT COLORS - for use with Florida Tile only



Antique White - 23




Bright White - 44




Hot Cocoa - 57




Latte - 40




Light Pewter - 90



Marble Beige - 17




Mushroom - 39




Natural Grey - 24



Sand Beige - 30




Sauterne - 18



Silver Shadow - 88



Smoke Grey - 89



Sterling Silver - 78

KITCHEN FAUCETS

Kohler
kohler.com

FORTÉ FAUCET FEATURES


- Pullout sprayhead with stream-to-spray touch control
- MasterClean™ sprayface withstands mineral buildup
- Temperature Memory
- High temperature limit setting
- Durable lifelong-performance, ceramic disc valves
- 1.5 gpm maximum flow rate at 60 psi.



Forté - K-10433
Vibrant Brushed Bronze

SIMPLICE® FAUCET FEATURES


- Pulldown sprayhead with stream-to-Sweep® spray-to pause touch control
- DockNetik® magnetic docking system
- MasterClean™ sprayface withstands mineral buildup
- Temperature Memory
- High temperature limit setting
- Durable lifelong-performance, ceramic disc valves
- 1.8 gpm maximum flow rate at 60 psi.



Simplíce® K-596
Vibrant Stainless

BELLERA® FAUCET FEATURES

- Pulldown sprayhead with stream-to-Sweep® spray-to pause touch control
- DockNetik® magnetic docking system
- MasterClean™ sprayface withstands mineral buildup
- Temperature Memory
- High temperature limit setting
- Durable lifelong-performance, ceramic disc valves
- 1.8 gpm maximum flow rate at 60 psi.



Bellera® K-560
Oil-Rubbed Bronze

KITCHEN SINKS

Sterling® a Kohler® Company
kohler.com

McALLISTER® UNDERMOUNT

- Rectangular bowls
- No faucet holes
- Luster finish
- Reveal/no reveal option
- SilentShield® sound-absorption technology
- 18-gauge stainless steel
- Minimum base cabinet width - both styles: 33" - 36"
(33" cabinet may require cabinet modifications)



McAllister® Double Bowl 11444
32" x 8" x 8-9/16"



McAllister® Single Bowl 11600
29-1/2" x 15-3/4" x 9-5/16"




WILSONART® HD & PREMIUM LAMINATE

- Enhanced with specially engineered finish that adds lustrous depth and strengthens surface for long life of beauty and performance
- Worry-free performance without the need for special care and annual resealing - just clean with mild soap or detergent and a cotton cloth and water
- Stands up to impact, marring and scuffing


P
R
E
M
I
U
M

H
I
G
H


D
E
F



Benjamin Grey
1887K-22



Calcutta Marble
4925K-07




Maura Pearl
4822K-52




Smoky Topaz
4589K-07



Typhoon Ice
4952K-22




Bella Capri
1822-35




Bella Noche
1820-35




Bianco Romano
1872K-35




Cipollino Grigio
1882K-35




Deepstar Slate
1818-35



Golden Romano
1871K-35



Trinidad Lapidus
1879K-35



Winter Carnival
1874K-35

LAMINATE EDGE PROFILES



1 STANDARD EDGE



Square Profile - 100

**The profiles on this page are not available for Formica 180fx® Laminate.*

6 UPGRADED EDGES



Corian Bevel - White Profile 211
Available in Aurora or White



***Laminated Crescent Profile**
Available in Wilsonart only



Wood Bevel - Profile 211
Available in Cherry, Maple, or Oak



Ogee Corian - White Profile 433
Available in Aurora or White



Laminated Bevel - Profile 677



Ogee Wood in Oak - Profile 433
Available in Cherry, Maple, or Oak

COUNTERTOPS

Corian by Dupont
dupont.com

LEVEL 1



Bisque Glacier White Linen Maui Sahara Silver Grey Platinum

LEVEL 2



Antarctica Aurora Blue Pebble Canyon Cocoa Brown Everest Savannah

CORIAN SINKS



872


850



9980

9412

CORIAN SINK COLORS



Bone Bisque Glacier White Cameo White

EDGE PROFILES



Single Round
Over Edge



Double Round
Over Edge



Ogee Edge



Bevel Edge

COUNTERTOPS

Corian by Dupont
dupont.com


LEVEL 3




Ash Concrete




Canvas




Carbon




Concrete



Cottage Lane




Doeskin




Fossil



Granola



Neutral
Concrete




Raffia



Serene Sage




Silver Birch



Weathered
Concrete




Whisper



Willow


LEVEL 4



Burled Beach




Clam Shell




Dune Prima




Earth



Elderberry




Juniper




Lava Rock



Limestone
Prima




Rain Cloud



Riverbed



Rosemary




Saffron




Sagebrush



Sandalwood




Sandstorm



Sonora



Tumbleweed



Windswept
Prima



Witch Hazel

COUNTERTOPS

Emerstone
emerstone.com

Pure Inspiration - Formed by imagination, Emerstone® offers striking beauty & lifelong durability.

93 % Natural Quartz - Made by nature, natural quartz is one of the hardest minerals found on Earth.

No indoor emissions - Completely Stable and non-chemical stone provides safe and harmonious living.

Fully Nonabsorbent - Seamless, nonporous, hyper-hard surfaces never retain or transfer flavors.

Bold cutting-edge Profiles - From sharp to sloping to poetic, our edges blur lines between design

GROUP A




Blanco Pure




Carrara White



Glacier White



Maple White



Pure Grey



Vanilla White

GROUP A



White Galaxy

GROUP B



Arcadia Grey



Calacatta Gold




Crema Marfil



Dinos Gris

GROUP B



Grey Galaxy



Haven Gris



Lagos Brown



Midnight
Concrete



Terra

COUNTERTOPS

Emerstone
emerstone.com


GROUP C



Abela White



Azure



Black Galaxy



Blanco Pure
Extra



Borghini
Fantasy



Cobalt Blue

GROUP C




Concreto




Concreto
Honed



Ipenema



Latte



Misty Waves



Photo
Not Yet
Available


Statuario

GROUP C




Statuario
Honed


GROUP D



Borghini
Arabescato



Borghini
Aurora



Borghini Classic



Borghini D'Oro


COUNTERTOPS

Emerstone
emerstone.com

GROUP D



Borghini Extra



Borghini Lincoln



Calacata Vagli



Carrara Bianco



**Carrara
Olympus**



**Carrara
Unique**


GROUP D



Madre Perola



Metallica




Milky White



Tundra

GROUP E



Borghini Chiffon



Borghini Divino



Borghini Gold



**Borghini
Imperial**



**Borghini
Modena**



**Borghini
Montclair**

GROUP E



Borghini Silver



Calacatta
Oceana




Monet



Mont Blanc



Nero Borghini



Nero Borghini
Honed

PROFILE EDGES**



Pencil



Crescent



Demi Bullnose




3/8 Roll



Big Bevel



1/4 Bevel



Ogee



Rockface

***When ordering Emerstone countertops, please refer to the profiles on **this page** as the edges and descriptions on Emerstone's website will not match.*

ACCESSORIES

POP UP CHARGING STATION WITH USB PORTS

- Rated for continuous operation
- Solid and sturdy structure
- Two sockets and two USB 2.0 ports
- Pop Up design for availability when you need it



RECESSED POWER LOW VOLTAGE TV BOX™

- Non-metallic box with paintable white trim plate
- Secure installation in walls up to 1 ½ thick
- Arlington TVBU505
- CED/35WP - Cable Entry Device with receptacle
- P & S TP826 W Plate
- Additional receptacle with conduit between hi/low boxes, includes plywood backing
- Optional covers available for unused boxes



TV BRACING WITH ½” PLYWOOD

- Recessed wall-mount receptacle
- TVBR505K
- RG6TV jack



BATHROOM FIXTURES

Kohler
kohler.com

DEVONSHIRE®

- Durable lifelong-performance, ceramic disc valves
- Water-saving showerhead features Katalyst® air induction spray delivering a powerful, voluptuous spray
- 2.0 gpm showerhead includes MasterClean™ sprayface for easy cleaning
- Available in Oil-Rubbed Bronze, Polished Chrome, Vibrant Brushed Nickel, and Vibrant Polished Nickel



Devonshire® K-394-4
Oil-Rubbed Bronze



Devonshire® K-T398-4
Oil-Rubbed Bronze



Devonshire® K-TS395-4E
Oil-Rubbed Bronze



Polished Chrome



Brushed Chrome

FAIRFAX®

- Durable lifelong-performance, ceramic disc valves
- Temperature memory
- 2.5 gpm showerhead includes MasterClean™ sprayface for easy cleaning
- Available in Oil-Rubbed Bronze, Polished Chrome, and Vibrant Brushed Nickel



Fairfax® K-12181
Polished Chrome



Fairfax® K-T12885-4
Polished Chrome



Fairfax® K-TS12007-4S
Polished Chrome



Vibrant Brushed Nickel



Vibrant Polished Nickel

FORTÉ®

- Durable lifelong-performance, ceramic disc valves
- 2.5 gpm showerhead includes MasterClean™ sprayface for easy cleaning
- Available in Brushed Chrome, Polished Chrome, Vibrant Brushed Nickel



Forté® K-10270-4



Forté® K-T10278-4
Brushed Chrome



Forté® K-TS10274-4A
Brushed Chrome



Oil Rubbed Bronze

SHOWER FEATURES

- AcrylX™
- Slip resistant floor
- Molded soap ledges
- Dome available
- Center drain
- Lifetime Residential / 30 Year Commercial Warranty



RE5636
36" Shower w/ 7" Threshold



RE5843
*48" Shower w/ 6" Threshold
1 seat*



RE5848X
*48" Shower w/ 8.5" Threshold
1 seat*



RE5836
*60" Shower w/ 7" Threshold
1 seat*



RE6035SD
*60" Convertible Shower
w/ 4" Threshold
Tub insert available*



RE5860X
*60" Shower w/ 8.5" Threshold
2 seats*

VANITY BASE COUNTERTOPS

Kerrico
kerricocorp.com

NATURAL AND ENGINEERED STONE


- 4" Backsplash included with each top
- Installed oval undermount bowl included
- Endsplashes available
- Custom options include: apron, angle cuts, radius, flat deck, custom sink cut-outs, special depths, banjo tops or a rectangular bowl - available in white or biscuit colors




GROUP 1



**Burlywood
Stone**



**Meteorite
Stone**




Wheat Stone

GROUP 2



GROUP 3



Earth Stone*



Sand Stone*




Artic Ice*




Crema - Marfill*

GROUP 4



**Absolute
Black**



Ubatuba Stone



**Tan Brown
Stone**



**Santa Cecilia
Light Stone**

**Engineered Stone*

VANITY CABINET STYLES



**Madison Shaker - 5 pc.
No Middle Panel
Slab Drawer Front
*Honey***



**Madison Shaker - 7 pc.
With Center Style
Slab Drawer Front
*White***



**Sanibel Madison Arch Beaded
Oak - *Natural***



**Dutchmaid Shaker
Oak - *Paprika***



**Sanibel Kimble Square
Maple - *Toffee***


VANITY COLORS




**Almond
Brown
Glaze**




**Almond
Vandyke
Glaze**



Almond




**Almond
Honey
Glaze**



**Cherry Spice /
Black Glaze**



**Honey Stain /
Brown Glaze**



**Dark Honey
Glaze**



White

KOHLER ELONGATED

- 1.6 gallons of water per flush
- One flush performance limited guarantee
- Meets strict water conservation standards
- Crafted from grade A vitreous china to provide a durable, non-porous product with hard glossy finish
- Elongated bowl with extended rim length for comfortable use
- Three bolt quick-connect installation system
- Designed for functionality and style



White

KOHLER ELONGATED COMFORT HEIGHT

- 1.28 gallons of water per flush
- Flushes efficiently regardless of incoming water pressure
- Meets strict water conservation standards
- Crafted from grade A vitreous china to provide a durable, non-porous product with hard glossy finish
- Luxury Height[®] Elongated bowl
- Three bolt quick-connect installation system
- Designed for functionality and style



White



APEX
HOMES

7172 Route 522 Middleburg, PA 17842 ♦ 800-326-9524 ♦ www.apexhomesofpa.com

2019 (3rd Quarter)